


Matthews Paint Logo	Page 2
MAP Ultra Low VOC Logo	Page 3
EZ Spray Logo	Page 3
Lacryl Logo	Page 4
Series20 Logo	Page 4
1-Shot Logo	Page 5
Chromatic Logo	Page 5
Sign Strip Logo.	Page 6
Booth Strip Logo	Page 6
Field Master Logo	Page 7
MPC Quick Tip Logo	Page 8



- Entire Matthews Paint logo consists of MPC drops and MPC icon (including "Matthews Paint" type).
- No portion of the Matthews Paint logo may be altered, omitted, enhanced or distorted in any way.
- Entire Matthews Paint logo is to be used whenever possible.
- MPC icon can be used alone in cases where color application is not available or if MPC drops are located somewhere else in the document.
- MPC drops cannot be used alone, without the presence of the MPC icon located somewhere in the document.
- Matthews Paint logo is a registered trademark of PPG Industries Ohio, Inc. Registered trademark is always to be located outside of MPC icon in the upper right corner as shown.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.

MPC Drops Colors

Drops are provided in CMYK or RGB color formulas. Pantone colors are provided below for color matching purposes.

Red	Orange
Pantone 186	Pantone 166
Yellow	Green
Pantone 116	Pantone 369
Blue	Purple
Pantone 300	Pantone 2583


MPC Icon Colors

	Red	ВІ	ack
Pan	tone 1795	Panto	ne Black
С	0	С	0
M	93	M	0
Υ	95	Υ	0
K	0	K	100
R	255	R	0
G	0	G	0
В	0	В	0

Reversed MPC Icon

Reversed MPC icon is specified for use on dark backgrounds.





- Entire MAP Ultra Low VOC logo consists of drop and typeface.
- No portion of the MAP Ultra Low VOC logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.

 $\it MAP$ is a registered trademark of PPG Industries Ohio, Inc.

MAP Ultra Low VOC Drop Colors

The MAP Ultra Low VOC drop is provided in CMYK or RGB color formulas.



MAP Ultra Low VOC Typeface Colors

Gı	reen	ВІ	lack
Pant	one 361	Panto	ne Black
С	70	С	0
M	0	M	0
Υ	100	Υ	0
K	0	K	100
R	80	R	0
G	185	G	0
В	72	В	0

EZ Spray Logo



- No portion of the EZ Spray logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed EZ Spray logo is specified for use on dark backgrounds.

EZ SPRAY logo is a trademark of PPG Industries Ohio, Inc.

EZ Spray Logo Colors

F	Red	В	lack
	one 1795		ne Black
С	0	С	0
M	93	M	0
Υ	95	Υ	0
K	0	K	100
R	255	R	0
G	0	G	0
В	0	В	0

Reversed EZ Spray Logo



Lacryl Logo Page 4



- No portion of the Lacryl logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed Lacryl logo is specified for use on dark backgrounds.

Lacryl is a registered trademark of PPG Industries Ohio, Inc.

Lacryl Logo Colors

Or	ange	В	lack
Pant	one 021	Panto	ne Black
С	0	С	0
M	82	M	0
Υ	100	Υ	0
K	0	K	100
R	255	R	0
G	80	G	0
В	0	В	0

Reversed Lacryl Logo



Series 20 Logo



- No portion of the Series20 logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed Series20 logo is specified for use on dark backgrounds.

SERIES20 is a trademark of PPG Industries Ohio, Inc.

Series 20 Logo Colors

Or	ange	ВІ	lack
Pante	one 021	Panto	ne Black
С	0	С	0
M	82	M	0
Υ	100	Υ	0
K	0	K	100
R	255	R	0
G	80	G	0
В	0	В	0

Reversed Series 20 Logo




1-Shot Logo Page 5



- No portion of the 1-Shot logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed 1-Shot logo is specified for use on dark backgrounds.

1 SHOT and arrow and concentric circles designs is a registered trademark of PPG Industries Ohio, Inc.

1-Shot Logo Colors



Reversed 1-Shot Logo



Chromatic Logo



- No portion of the Chromatic logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed Chromatic logo is specified for use on dark backgrounds.

Chromatic is a registered trademark of PPG Industries Ohio, Inc.

Chromatic Logo Colors

Black

Pantone Black				
0				
0				
0				
100				
0				
0				
0				

Reversed Chromatic Logo



Sign Strip Logo Page 6

Sign Strip®

- No portion of the Sign Strip logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed Sign Strip logo is specified for use on dark backgrounds.

Sign Strip is a registered trademark of PPG Industries Ohio, Inc.

Sign Strip Logo Colors

Black

Pantone Black			
С	0		
M	0		
Υ	0		
K	100		
R	0		
G	0		
В	0		

Reversed Sign Strip Logo



Booth Strip Logo

Booth Strip.

- No portion of the Booth Strip logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.
- Reversed Booth Strip logo is specified for use on dark backgrounds.

Booth Strip is a registered trademark of PPG Industries Ohio, Inc.

Booth Strip Logo Colors

Black

Pantone Black				
0				
0				
0				
100				
0				
0				
0				

Reversed Booth Strip Logo



Field Master Logo Page 7



- No portion of the Field Master logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK, RGB, or Pantone colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.

FIELD MASTER is a trademark of PPG Industries Ohio, Inc.


Field Master Logo Colors

В	lack	Ora	nge 1
	ne Black	Panto	one 165
С	0	С	0
M	0	M	75
Υ	0	Υ	95
K	100	K	0
R	0	R	245
G	0	G	105
В	0	В	40

Ora	nge 2	Ora	inge 3
Pant	one 715	Panto	one 7409
C	0	C	8
M	45	M	25
Y	90	Y	100
K	0	K	0
R	245	R	245
G	140	G	175
B	45	B	30

Ye	ellow	Gre	een 1	Gre	een 2	Bl	ue 1	Blu	ue 2	Pur	ple 1
Pante	one 101	Panto	one 380	Panto	one 7489	Pant	one 639	Panto	ne 7455	Panto	ne 7680
С	8	С	22	С	65	С	80	С	85	С	90
M	0	M	0	M	8	M	30	M	65	M	100
Υ	85	Υ	95	Υ	100	Υ	5	Υ	5	Υ	10
K	0	K	0	K	0	K	0	K	0	K	0
R	245	R	220	R	115	R	0	R	60	R	85
G	230	G	225	G	170	G	150	G	95	G	50
В	70	В	70	В	80	В	200	В	170	В	120

Pur	Purple 2		Purple 3			Red		
Panto	Pantone 7662		Pantone 7434			Pantone 485		
C M Y K	65 90 15 0		C M Y K	30 95 55 10		C M Y K	0 100 100 0	
R G B	125 65 130		R G B	160 50 90	•	R G B	225 40 40	



- No portion of the MPC Quick Tip logo may be altered, omitted, enhanced or distorted in any way.
- Logo must be in used in approved CMYK and RGB colors only. Color substitution is not allowed.
- Backgrounds must not interfere with the visibility of the logo.
- Other design elements or text must not touch any portion of the logo.

MPC Quick Tip Logo Colors

	Red		Black				
C	0		C	0			
M	93		M	0			
Y	95		Y	0			
K	0		K	100			
R	255	•	R	0			
G	0		G	0			
B	0		B	0			

Mediu	ım Cyan	Light Cyan				
C M Y K	50 0 0 0	C M Y K	20 0 0 0			
R G B	134 190 217	R G B	217 238 250			